


JIC MALE 37° FLARE


MASCHIO JIC SV.37°



AGJ


part nr. codice	hose ID		size	thread T	d		E		cut-off C	
	[in]	[mm]			[in]	[mm]	[in]	[mm]	[in]	[mm]
0402550311	3/16"	4,8	03	7/16-20	0,12	3,0	0,47	12	1,02	26,0
0402550411	1/4"	6,4	04	7/16-20	0,16	4,0	0,47	12	1,06	27,0
0402550412	1/4"	6,4	04	1/2-20	0,16	4,0	0,55	14	1,06	27,0
0402550414	1/4"	6,4	04	9/16-18	0,16	4,0	0,59	15	1,06	27,0
0402550514	5/16"	8,0	05	9/16-18	0,22	5,5	0,59	15	1,06	27,0
0402550614	3/8"	9,5	06	9/16-18	0,28	7,0	0,59	15	1,06	27,0
0402550619	3/8"	9,5	06	3/4-16	0,28	7,0	0,75	19	1,18	30,0
0402550622	3/8"	9,5	06	7/8-14	0,28	7,0	0,95	24	1,34	34,0
0402550819	1/2"	12,7	08	3/4-16	0,37	9,5	0,75	19	1,22	31,0
0402550822	1/2"	12,7	08	7/8-14	0,37	9,5	0,95	24	1,38	35,0
0402550827	1/2"	12,7	08	1.1/16-12	0,37	9,5	1,06	27	1,46	37,0
0402551022	5/8"	16,0	10	7/8-14	0,47	12,0	0,95	24	1,38	35,0
0402551027	5/8"	16,0	10	1.1/16-12	0,47	12,0	1,06	27	1,46	37,0
0402551222	3/4"	19,0	12	7/8-14	0,59	15,0	0,95	24	1,42	36,0
0402551227	3/4"	19,0	12	1.1/16-12	0,59	15,0	1,06	27	1,50	38,0
0402551230	3/4"	19,0	12	1.3/16-12	0,59	15,0	1,26	32	1,62	41,0
0402551233	3/4"	19,0	12	1.5/16-12	0,59	15,0	1,34	34	1,65	42,0
0402551627	1"	25,4	16	1.1/16-12	0,79	20,0	1,06	27	1,54	39,0
0402551633	1"	25,4	16	1.5/16-12	0,79	20,0	1,34	34	1,69	43,0
0402551641	1"	25,4	16	1.5/8-12	0,79	20,0	1,65	42	1,81	46,0
0402552041	1.1/4"	31,8	20	1.5/8-12	1,02	26,0	1,65	42	1,85	47,0
0402552048	1.1/4"	31,8	20	1.7/8-12	1,02	26,0	1,97	50	2,05	52,0
0402552448	1.1/2"	38,1	24	1.7/8-12	1,26	32,0	1,97	50	2,05	52,0
0402553252	2"	50,8	32	2.1/2-12	1,73	44,0	2,56	65	2,44	62,0

JIC FEMALE 37° FLARE
FEMMINA JIC SV. 37°
041627




DKJ

JIC FEMALE 37° FLARE WITH THRUST WIRE NUT
FEMMINA JIC SV. 37° CON DADO SPINATO
041645




part nr. codice	hose ID		thread		d		E		cut-off C	
	[in]	[mm]	size	T	[in]	[mm]	[in]	[mm]	[in]	[mm]
0416250311	3/16"	4,8	03	7/16-20	0,12	3,0	0,59	15	0,51	13,0
0416250411	1/4"	6,4	04	7/16-20	0,16	4,0	0,59	15	0,51	13,0
0416250412	1/4"	6,4	04	1/2-20	0,16	4,0	0,67	17	0,59	15,0
0416250414	1/4"	6,4	04	9/16-18	0,16	4,0	0,75	19	0,63	16,0
0416250512	5/16"	8,0	05	1/2-20	0,22	5,5	0,67	17	0,59	15,0
0416250514	5/16"	8,0	05	9/16-18	0,22	5,5	0,75	19	0,63	16,0
0416250614	3/8"	9,5	06	9/16-18	0,28	7,0	0,75	19	0,63	16,0
0416250619	3/8"	9,5	06	3/4-16	0,28	7,0	0,95	24	0,63	16,0
0416250622	3/8"	9,5	06	7/8-14	0,28	7,0	1,06	27	0,75	19,0
0416250819	1/2"	12,7	08	3/4-16	0,37	9,5	0,95	24	0,67	17,0
0416250822	1/2"	12,7	08	7/8-14	0,37	9,5	1,06	27	0,75	19,0
0416250827	1/2"	12,7	08	1.1/16-12	0,37	9,5	1,26	32	0,75	19,0
0416251022	5/8"	16,0	10	7/8-14	0,47	12,0	1,06	27	0,75	19,0
0416251027	5/8"	16,0	10	1.1/16-12	0,47	12,0	1,26	32	0,75	19,0
0416251227	3/4"	19,0	12	1.1/16-12	0,59	15,0	1,26	32	0,79	20,0
0416251230	3/4"	19,0	12	1.3/16-12	0,59	15,0	1,42	36	0,83	21,0
0416251233	3/4"	19,0	12	1.5/16-12	0,59	15,0	1,50	38	0,83	21,0
0416251633	1"	25,4	16	1.5/8-12	0,79	20,0	1,50	38	0,87	22,0
0416452041	1.1/4"	31,8	20	1.5/8-12	1,02	26,0	1,97	50	1,10	28,0
0416452048	1.1/4"	31,8	20	1.7/8-12	1,02	26,0	2,17	55	1,22	31,0
0416452448	1.1/2"	38,1	24	1.7/8-12	1,26	32,0	2,17	55	1,22	31,0
0416453252	2"	50,8	32	2.1/2-12	1,73	44,0	2,76	70	1,22	31,0

**JIC FEMALE 37° FLARE 90° ELBOW
FEMMINA 90° JIC SV.37°
042725**




DKJ-90

**JIC FEMALE 37° FLARE 90° ELBOW WITH THRUST WIRE NUT
FEMMINA 90° JIC SV.37° CON DADO SPINATO
042755**




part nr. codice	hose ID			thread T	d		E		cut-off C		drop H	
	[in]	[mm]	size		[in]	[mm]	[in]	[mm]	[in]	[mm]	[in]	[mm]
0427250311	3/16"	4,8	03	7/16-20	0,12	3,0	0,59	15	0,87	22,0	0,87	22,0
0427250411	1/4"	6,4	04	7/16-20	0,16	4,0	0,59	15	0,99	25,0	0,95	24,0
0427250412	1/4"	6,4	04	1/2-20	0,16	4,0	0,67	17	0,99	25,0	0,99	25,0
0427250414	1/4"	6,4	04	9/16-18	0,16	4,0	0,75	19	1,06	27,0	1,02	26,0
0427250514	5/16"	8,0	05	9/16-18	0,22	5,5	0,75	19	1,18	30,0	1,22	31,0
0427250614	3/8"	9,5	06	9/16-18	0,28	7,0	0,75	19	1,30	33,0	1,26	32,0
0427250619	3/8"	9,5	06	3/4-16	0,28	7,0	0,95	24	1,30	33,0	1,30	33,0
0427250622	3/8"	9,5	06	7/8-14	0,28	7,0	1,06	27	1,30	33	1,37	35,0
0427250819	1/2"	12,7	08	3/4-16	0,37	9,5	0,95	24	1,54	39,0	1,50	38,0
0427250822	1/2"	12,7	08	7/8-14	0,37	9,5	1,06	27	1,65	42,0	1,65	42,0
0427250827	1/2"	12,7	08	1.1/16-12	0,37	9,5	1,26	32	1,54	39,0	1,65	42,0
0427251022	5/8"	16,0	10	7/8-14	0,47	12,0	1,06	27	1,77	45,0	1,77	45,0
0427251027	5/8"	16,0	10	1.1/16-12	0,47	12,0	1,26	32	1,77	45,0	1,77	45,0
0427251227	3/4"	19,0	12	1.1/16-12	0,59	15,0	1,26	32	2,21	56,0	2,05	52,0
0427251230	3/4"	19,0	12	1.3/16-12	0,59	15,0	1,42	36	2,21	56,0	2,09	53,0
0427251233	3/4"	19,0	12	1.5/16-12	0,59	15,0	1,50	38	2,25	57,0	2,21	56,0
0427251633	1"	25,4	16	1.5/16-12	0,79	20,0	1,50	38	2,76	70,0	2,56	65,0
0427551627	1"	25,4	16	1.1/16-12	0,79	20,0	1,26	32	2,76	70,0	2,48	63,0
0427551633	1"	25,4	16	1.5/16-12	0,79	20,0	1,62	41	2,76	70,0	2,68	68,0
0427552041	1.1/4"	31,8	20	1.5/8-12	1,02	26,0	1,97	50	3,35	85,0	3,47	88,0
0427552448	1.1/2"	38,1	24	1.7/8-12	1,26	32,0	2,17	55	3,90	99,0	3,98	101,0
0427553252	2"	50,8	32	2.1/2-12	1,73	44,0	2,76	70	4,93	125,0	5,20	132,0


JIC COMPACT FEMALE 37° FLARE 90° ELBOW **FEMMINA COMPATTA 90° JIC SV.37°**

DKJ-90-K

part nr. codice	hose ID		size	thread T	d		E		cut-off C		drop H	
	[in]	[mm]			[in]	[mm]	[in]	[mm]	[in]	[mm]	[in]	[mm]
0441250411	1/4"	6,4	04	7/16-20	0,16	4,0	0,55	14	0,99	25,0	0,79	20,0
0441250412	1/4"	6,4	04	1/2-20	0,16	4,0	0,67	17	0,99	25,0	0,83	21,0
0441250414	1/4"	6,4	04	9/16-18	0,16	4,0	0,75	19	0,99	25,0	0,79	20,0
0441250514	5/16"	8,0	05	9/16-18	0,22	5,5	0,75	19	1,02	26,0	0,95	24,0
0441250614	3/8"	9,5	06	9/16-18	0,28	7,0	0,75	19	1,02	26,0	0,95	24,0
0441250619	3/8"	9,5	06	3/4-16	0,28	7,0	0,95	24	1,02	26,0	0,91	23,0
0441250819	1/2"	12,7	08	3/4-16	0,37	9,5	0,95	24	1,06	27,0	0,91	23,0
0441250822	1/2"	12,7	08	7/8-14	0,37	9,5	1,06	27	1,06	27,0	0,91	23,0
0441251022	5/8"	16,0	10	7/8-14	0,47	12,0	1,06	27	1,06	27,0	1,06	27,0
0441251027	5/8"	16,0	10	1.1/16-12	0,47	12,0	1,26	32	1,06	27,0	1,14	29,0
0441251227	3/4"	19,0	12	1.1/16-12	0,59	15,0	1,26	32	1,26	32,0	1,22	31,0
0441251633	1"	25,4	16	1.5/16-12	0,79	20,0	1,62	41	1,38	35,0	1,46	37,0

**JIC FEMALE 37° FLARE 45° ELBOW
FEMMINA 45° JIC SV.37°
042825**



**JIC FEMALE 37° FLARE 45° ELBOW WITH THRUST WIRE NUT
FEMMINA 45° JIC SV.37° CON DADO SPINATO
042855**



DKJ-45

part nr. codice	hose ID			thread T	d		E		cut-off C		drop H	
	[in]	[mm]	size		[in]	[mm]	[in]	[mm]	[in]	[mm]	[in]	[mm]
0428250311	3/16"	4,8	03	7/16-20	0,12	3,0	0,59	15	1,30	33,0	0,55	14,0
0428250411	1/4"	6,4	04	7/16-20	0,16	4,0	0,59	15	1,34	34,0	0,51	13,0
0428250412	1/4"	6,4	04	1/2-20	0,16	4,0	0,67	17	1,57	40,0	0,51	13,0
0428250414	1/4"	6,4	04	9/16-18	0,16	4,0	0,75	19	1,57	40,0	0,59	15,0
0428250514	5/16"	8,0	05	9/16-18	0,22	5,5	0,75	19	1,85	47,0	0,63	16,0
0428250614	3/8"	9,5	06	9/16-18	0,28	7,0	0,87	22	1,93	49,0	0,63	16,0
0428250619	3/8"	9,5	06	3/4-16	0,28	7,0	0,95	24	2,00	51,0	0,71	18,0
0428250819	1/2"	12,7	08	3/4-16	0,37	9,5	0,95	24	2,36	60,0	0,75	19,0
0428250822	1/2"	12,7	08	7/8-14	0,37	9,5	1,06	27	2,48	63,0	0,79	20,0
0428250827	1/2"	12,7	08	1.1/16-12	0,37	9,5	1,26	32	2,09	53,0	0,95	24,0
0428251022	5/8"	16,0	10	7/8-14	0,47	12,0	1,06	27	2,68	68,0	0,95	24,0
0428251027	5/8"	16,0	10	1.1/16-12	0,47	12,0	1,26	32	2,68	68,0	0,91	23,0
0428251227	3/4"	19,0	12	1.1/16-12	0,59	15,0	1,26	32	2,72	69,0	1,06	27,0
0428251230	3/4"	19,0	12	1.3/16-12	0,59	15,0	1,42	36	2,56	65,0	1,18	30,0
0428251233	3/4"	19,0	12	1.5/16-12	0,59	15,0	1,50	38	2,84	72,0	1,18	30,0
0428251633	1"	25,4	16	1.5/16-12	0,79	20,0	1,50	38	3,27	83,0	1,34	34,0
0428551627	1"	25,4	16	1.1/16-12	0,79	20,0	1,26	32	3,19	81,0	1,26	32,0
0428551633	1"	25,4	16	1.5/16-12	0,79	20,0	1,62	41	3,35	85,0	1,42	36,0
0428552041	1.1/4"	31,8	20	1.5/8-12	1,02	26,0	1,97	50	4,14	105,0	2,05	52,0
0428552448	1.1/2"	38,1	24	1.7/8-12	1,26	32,0	2,17	55	5,44	138,0	2,29	58,0
0428553252	2"	50,8	32	2.1/2-12	1,73	44,0	2,76	70	6,58	167,0	3,03	77,0